


# Aussensechskant-Einsätze

Hex cap inserts, female square to male hex



# Aussensechskant-Einsätze

Hex cap inserts, female square to male hex




Abtriebsvierkant Square drive Zoll/Inch	Code-Nr. Code no.	SW/AF	L	ØD
1/2"	F97-013-0-00802	8	55	30
1/2"	F97-013-0-01002	10	55	30
1/2"	F97-013-0-01402	14	55	30

Abtriebsvierkant Square drive Zoll/Inch	Code-Nr. Code no.	SW/AF	L	ØD
3/4"	F97-019-0-01400	14	85	44
3/4"	F97-019-0-01700	17	85	44
3/4"	F97-019-0-01900	19	85	44
3/4"	F97-019-0-02200	22	85	44
3/4"	F97-019-0-02400	24	85	44
3/4"	F97-019-0-02700	27	85	44



# Aussensechskant-Einsätze

Hex cap inserts, female square to male hex



Abtriebsvierkant Square drive Zoll/Inch	Code-Nr.	SW/AF	L	ØD
1"	F97-025-0-01700	17	100	54
1"	F97-025-0-01900	19	100	54
1"	F97-025-0-02200	22	100	54
1"	F97-025-0-02400	24	100	54
1"	F97-025-0-02700	27	100	54
1"	F97-025-0-03000	30	100	54
1"	F97-025-0-03200	32	100	54
1"	F97-025-0-03600	36	100	54
1"	F97-025-0-04600	46	100	54

Abtriebsvierkant Square drive Zoll/Inch	Code-Nr.	SW/AF	L	ØD
1 1/2"	F97-038-0-01900	19	115	86
1 1/2"	F97-038-0-02200	22	115	86
1 1/2"	F97-038-0-02400	24	115	86
1 1/2"	F97-038-0-02600	26	115	86
1 1/2"	F97-038-0-02700	27	115	86
1 1/2"	F97-038-0-03000	30	115	86
1 1/2"	F97-038-0-03200	32	115	86
1 1/2"	F97-038-0-03600	36	115	86
1 1/2"	F97-038-0-07000	70	115	86

